L Number	Hits	Search Text	DB	Time stamp
1	9215	((257/662) or (257/664) or (257/275) or (257/211) or (257/690) or (257/691) or (257/692) or (257/658) or (333/26) or (333/32) or (333/33) or (333/81) or (333/116) or (333/124) or (333/204)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 16:42
2	23	(((257/662) or (257/664) or (257/275) or (257/211) or (257/690) or (257/691) or (257/692) or (257/658) or (333/26) or (333/32) or (333/33) or (333/81) or (333/116) or (333/124) or (333/204)).CCLS.) and impedance near12 (slit or hole or through-hole or aperture) near12 (ground or signal) and microstrip.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:43
3	2	jp-11177247$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:48
4	0	jp-0936504$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:49
5	2	jp-09036504$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:55
6	0	jp-090291216$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:52
7	0	jp-060291216$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:53
8	1	jp-06291216$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 19:26
9	2	jp-05343820$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:56
10	2	jp-05267913$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 18:56
11	2	jp-05136597$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 19:28
12	2	jp-62047163$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 19:37
13	5	(("5793263") or ("3925740") or ("3659228") or ("5852391") or ("6509803")).PN.	USPAT	2003/05/11 19:39

–	15	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692")).CCLS.) and ((hole or aperture or gap) near15 ((signal or transmission) adj2 line)) near15 (capacitance or impedance or signal adj speed or propagation adj speed)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2003/05/11 12:40
–	27	((("257/662") or ("257/664") or ("257/275") or ("257/758") or ("257/211") or ("257/690") or ("257/691") or ("257/692")).CCLS.) and (hole or through-hole) near15 (transmission or signal adj2 line and (impedance or capacitance)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/02/08 12:24
–	2	(("JP-5166965") or ("4896194")).PN.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/02/08 12:40
–	51	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and ((ground adj plate or signal adj line) near12 (hole or through-hole or slit))	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/07/18 12:34
–	2	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and ((ground adj plate or signal adj line) near12 (hole or through-hole or slit)) near12 impedance	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/07/18 12:35
–	0	(hole or through-hole) near6 ground adj plate near6 impedance	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/29 08:05
–	20	(hole or through-hole) near12 ground adj (plane or plate) near12 impedance	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/29 08:05
–	11	(hole or through-hole) near6 ground adj (plane or plate) near6 impedance	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/29 08:06
–	21	(die or chip) near1 architecture.ti,ab. and 257/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/29 10:30
–	2	("6111289").PN.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 10:05
–	81	overlap near3 gate near3 drain near3 channel	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 10:14
–	9	overlap near3 gate near3 drift adj region	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 11:25

C:\APPS\east\workspaces\workspaces\09664094.wsp

—	9	(((257/288) or (257/335) or (257/337) or (257/337) or (257/339) or (257/348) or (257/392) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCLS.) and (strip or column or row) near15 drift	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 13:44
—	20	(((257/288) or (257/335) or (257/337) or (257/337) or (257/339) or (257/348) or (257/392) or (257/341) or (257/342) or (257/343) or (257/344) or (257/345) or (257/401) or (257/402)).CCLS.) and overlap$4 near12 gate near12 drift	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 13:46
—	58	((257/328).CCLS.) and overlap$4 near12 gate	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 14:21
—	0	lateral adj dmosfet.ti. and resurf.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 14:21
—	0	lateral adj dmosfet.ti,ab. and resurf.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 14:21
—	0	lateral adj dmosfet.ti,ab. and resurf	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 14:21
—	3	lateral adj dmosfet.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 14:23
—	1	lateral adj mosfet.ti,ab. and 257/342.ccls.	USPAT; US-PGPUB	2002/10/30 15:06
—	20	lateral adj mosfet.ti,ab. and 257/3$5.ccls.	USPAT; US-PGPUB	2002/10/30 15:06
—	19	lateral adj mosfet.ti,ab. and 257/3$5.ccls.	USPAT	2002/10/30 15:19
—	0	lateral adj mosfet.ti,ab. same resurf	USPAT	2002/10/30 15:20
—	5	lateral adj mosfet same resurf	USPAT	2002/10/30 15:25
—	25	resurf.ti.	USPAT	2002/10/30 15:51
—	122	(257/338).CCLS.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 15:54
—	0	"L29" and drift same gate and lateral and (row or column)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 15:55
—	0	"L29" and drift same gate and (row or column)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 15:56
—	11	((257/401).CCLS.) and drift same gate and (row or column)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/10/30 15:56

—	30	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 11:28
—	40	(((257/690) or (257/692) or (257/691)).CCLS.) or 333/$6.ccls.) and transmission adj line and (microstrip or microstripline) and capacitance and (impedance or resistance or conductance) near15 (opening or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 21:09
—	34	((((257/690) or (257/692) or (257/691)).CCLS.) or 333/$6.ccls.) and transmission adj line and (microstrip or microstripline) and capacitance and (impedance or resistance or conductance) near15 (opening or hole)) not ((((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and transmission adj line and microstrip and impedance and capacitance and (opening or hole))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/26 21:21
—	1	(((333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and hole near12 (impedance or resistance) near12 capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 09:02
—	1	((333/81A) or (333/116) or (333/124) or (333/204)).CCLS.) and (opening or hole) near12 (impedance or resistance) near12 capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 10:14
—	87	((333/81A).CCLS.) and (opening or through-hole or hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 10:19
—	3	((333/124).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:10
—	96	((333/204).CCLS.) and (hole or through-hole or opening) and (microstripline or micro-stripline or micro adj stripline or micro adj strip adj line or microstrip adj line or microstrip adj line or microstrip-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:02
—	31	((333/204).CCLS.) and (hole or through-hole or opening or cavity) near15 microstrip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 11:08
—	46	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or microstripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 11:38
—	60	(((257/662) or (257/664) or (257/275) or (257/758) or (257/211) or (257/690) or (257/691) or (257/692)).CCLS.) and (microstrip or micro-strip or microstripline or micro-strip or micro-stripline) near15 (opening or hole or through-hole or cavity or slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 15:00

–	2	jp-52002172$-$.did.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 15:08
–	0	slot-coupled adj feed and microstrip	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 15:11
–	0	slot-coupled adj feed and transmission adj line	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 15:11
–	17	slotted adj microstrip	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 16:21
–	1	slotted adj microstrip adj line	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 16:28
–	1	slotted adj (microstrip adj line or microstripline)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 16:30
–	26	(slotted or slot or opening or hole or through-hole) adj (microstrip adj line or microstripline)	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 16:31
–	12	(slotted or slot or opening or hole or through-hole) adj (microstrip adj line or microstripline).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 16:31
–	34	(US-6160313-$ or US-5962926-$ or US-5666009-$ or US-4383226-$ or US-5801599-$ or US-4896194-$ or US-5739560-$ or US-5744858-$ or US-4879588-$ or US-5185650-$ or US-6437431-$ or US-5304819-$ or US-5117277-$ or US-3869787-$ or US-6455880-$ or US-5986521-$ or US-5894154-$ or US-6066878-$ or US-6229180-$ or US-5903239-$ or US-3784883-$ or US-4875087-$ or US-5352998-$ or US-6344667-$ or US-6441471-$ or US-5294824-$).did. or (US-20010038146-$).did. or (JP-05166965-$ or JP-06120711-$ or JP-57129473-$ or JP-62293801-$ or JP-05226497-$).did. or (JP-08335803-$ or JP-60113502-$).did.	USPAT; US-PGPUB; JPO; DEPWENT	2002/11/27 16:43

-	34	((US-6160313-$ or US-5962926-$ or US-5666009-$ or US-4383226-$ or US-5801599-$ or US-4896194-$ or US-5739560-$ or US-5744858-$ or US-4879588-$ or US-5185650-$ or US-6437431-$ or US-5304819-$ or US-5117277-$ or US-3869787-$ or US-6455880-$ or US-5986521-$ or US-5894154-$ or US-6066878-$ or US-6229180-$ or US-5903239-$ or US-3784883-$ or US-4875087-$ or US-5352998-$ or US-6344667-$ or US-6441471-$ or US-5294824-$).did. or (US-20010038146-$).did. or (JP-05166965-$ or JP-06120711-$ or JP-57129473-$ or JP-62293801-$ or JP-05226497-$).did. or (JP-08335803-$ or JP-60113502-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:55
-	0	bhattacharya.in. and shafai.in. and slot and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	0	bhattacharya.in. and shafai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	49	shafai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	0	shafai.in. and impedance and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 16:56
-	4	shafai.in. and slot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 19:13
-	193	integrated adj circuit and microstrip adj antenna	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:03
-	50	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:04
-	32	integrated adj circuit and microstrip adj antenna and slot and ground adj (plane or plate) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:04
-	14	integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:06
-	3	semiconductor near6 integrated adj circuit and microstrip adj antenna and (slot with microstrip) and ground adj (plane or plate) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 17:13

–	0	semiconductor near6 integrated adj circuit and microstrip and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:14
–	0	semiconductor near6 integrated adj circuit and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:14
–	76	integrated adj circuit and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:14
–	0	semiconductor and integrated adj circuit.ti,ab,clm. and scanning adj antenna.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:15
–	18	semiconductor and integrated adj circuit and scanning adj antenna	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:18
–	0	scanning adj array adj antenna.ti,ab. and integrated.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:19
–	19	scanning adj2 antenna.ti,ab. and integrated.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:20
–	1	scanning adj2 antenna.ti,ab. and integrated.ti,ab. and semiconductor	USPAT; US-PGPUB; EPO; JPO; DEPWENT; IBM_TDB	2002/11/27 17:20
–	34	(US-5185650-$ or US-6437431-$ or US-5666009-$ or US-5962926-$ or US-6160313-$ or US-4383226-$ or US-5801599-$ or US-4896194-$ or US-5739560-$ or US-5744858-$ or US-4879588-$ or US-5903239-$ or US-3784883-$ or US-4875087-$ or US-5352998-$ or US-6344667-$ or US-6441471-$ or US-5294824-$ or US-6229180-$ or US-5894154-$ or US-5986521-$ or US-6455880-$ or US-3869787-$ or US-5117277-$ or US-5304819-$ or US-6356173-$).did. or (US-20010038146-$).did. or (JP-05166965-$ or JP-62293801-$ or JP-05226497-$ or JP-06120711-$ or JP-57129473-$).did. or (JP-08335803-$ or JP-60113502-$).did.	USPAT; US-PGPUB; JPO; DEPWENT	2002/11/27 18:44

34	((US-5185650-$ or US-6437431-$ or US-5666009-$ or US-5962926-$ or US-6160313-$ or US-4383226-$ or US-5801599-$ or US-4896194-$ or US-5739560-$ or US-5744858-$ or US-4879588-$ or US-5903239-$ or US-3784883-$ or US-4875087-$ or US-5352998-$ or US-6344667-$ or US-6441471-$ or US-5294824-$ or US-6229180-$ or US-5894154-$ or US-5986521-$ or US-6455880-$ or US-3869787-$ or US-5117277-$ or US-5304819-$ or US-6356173-$).did. or (US-20010038146-$).did. or (JP-05166965-$ or JP-62293801-$ or JP-05226497-$ or JP-06120711-$ or JP-57129473-$).did. or (JP-08335803-$ or JP-60113502-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 18:44
0	miyagi.in. and "10-050779"	JPO	2002/11/27 19:14
16	miyagi.in. and wiring adj board.ti.	JPO	2002/11/27 20:14
2	jp-11251490$-$.did.	JPO; DERWENT	2002/11/27 20:44
2	("4947178").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/27 20:45
11342	microstrip.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:13
475	microstrip.ti,ab,clm. and signal adj line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:14
15	(microstrip.ti,ab,clm. and signal adj line) and ground adj plate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:15
2	((microstrip.ti,ab,clm. and signal adj line) and ground adj plate) and (through-hole or through adj hole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 21:16
3	"6175287"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:22
2	("6175287").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:22
1	((("6175287").PN.) and signal adj line and (microstrip or microstripline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:28
216	(through-hole or hole or opening) near12 (microstrip or microstripline) and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:29

-	47	(through-hole or hole or opening) near12 (microstrip or microstripline) near12 impedance and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 16:29
-	25	(through-hole or hole or opening) near6 (microstrip or microstripline) near6 impedance and impedance.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:00
-	466	impedance adj matching and microstrip and aperture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:01
-	32	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. and aperture.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:06
-	24	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. near6 slot.ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:31
-	0	pozar.in. and plurality near6 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:31
-	47	impedance adj matching and microstrip.ti,ab,clm. and plurality near6 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:32
-	12	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. and plurality near6 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:32
-	11	impedance adj matching.ti,ab,clm. and microstrip.ti,ab,clm. and plurality near3 (slot or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:37
-	2	("6127901").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/10 19:37
-	0	("pozar.in.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:40
-	12	pozar.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:41
-	703	(333/26).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:53
-	904	(333/32).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54

C:\APPS\east\workspaces\workspaces\09664094.wsp

—	1304	(333/33).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
—	1097	(333/204).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
—	3794	((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:54
—	476	(((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.)) and (microstrip or microstripline) and (hole or through-hole or opening or aperture)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:55
—	365	((((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.)) and (microstrip or microstripline) and (hole or through-hole or opening or aperture)) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 12:56
—	50	(((((333/26).CCLS.) or ((333/32).CCLS.) or ((333/33).CCLS.) or ((333/204).CCLS.)) and (microstrip or microstripline) and (hole or through-hole or opening or aperture)) and impedance) and signal adj2 line and ground adj2 (plane or plate or line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 13:27
—	6	(US-5539361-$ or US-5610563-$ or US-3573670-$ or US-3995239-$ or US-4152680-$ or US-4186352-$).did.	USPAT	2003/05/11 13:27
—	2	((US-5539361-$ or US-5610563-$ or US-3573670-$ or US-3995239-$ or US-4152680-$ or US-4186352-$).did.) and impedance near12 (opening or hole or aperture) near12 (signal adj2 line or ground)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/11 16:40